

FIG. 3




FIG. 4




FIG. 5

110	•	0	The second second	
 -BASED MINAL S	SERV	<u>Æ</u> R	STATELES C <u>LIEN</u> T	S
 H.225 SETUP		_	T.	
H.225 SETUP ACK			STATION CALL INFORMATION	
			STATION SET LAMP BLINK	
			STATION SET RINGER ON	
*			STATION OFF HOOK	
H.225 ALERTING	_ `		STATION SET LAMP (STEADY)	
H.225 CONNECT	[STATION SET RINGER OFF	
H.245 MASTER/SLAVE DETERMINATION			•	
H.245 MASTER/SLAVE DETERMINATION AC	СК			
H.245 TERMINAL CAPABILITIES SET	_		·	
H.245 TERMINAL CAPABILITIES SET ACK			·	
H.245 OPEN LOGICAL CHANNEL		OT 1 T1		
	7		ON START MEDIA TRANSMISSION	
H.245 OPEN LOGICAL CHANNEL ACK	_	SIA	TION START MEDIA RECEPTION	
USER INFORMATION EXCHANGE				
			STATION ON HOOK	
H.245 REQUEST CHANNEL CLOSE		STAT	ION STOP MEDIA TRANSMISSION	
H.245 REQUEST CHANNEL CLOSE ACK	_		ATION STOP MEDIA RECEPTION	
H.225 RELEASE COMPLETE			STATION SET LAMP (OFF)	
-				

FIG. 6

SECOND FIRST STATELESS STATELESS SERVER **CLIENT CLIENT** STATION OFF HOOK STATION SET LAMP (STEADY) STATION PLAY TONE (DIAL TONE) STATION DIGIT DIALED STATION PLAY TONE (OFF) STATION DIGIT DIALED STATION DIGIT DIALED STATION DIGIT DIALED STATION CALL INFORMATION STATION PLAY TONE (RINGBACK) STATION SET LAMP (BLINK) STATION SET RINGER (ON) STATION OFF HOOK STATION PLAY TONE (OFF) STATION SET LAMP (STEADY) STATION SET RINGER (OFF) STATION START MEDIA TRANSMISSION STATION START MEDIA TRANSMISSION STATION START MEDIA RECEPTION STATION START MEDIA RECEPTION USER INFORMATION EXCHANGE STATION ON HOOK STATION STOP MEDIA TRANSMISSION STATION STOP MEDIA TRANSMISSION STATION STOP MEDIA RECEPTION STATION STOP MEDIA RECEPTION STATION SET LAMP (OFF) STATION SET LAMP (OFF) STATION ON HOOK